

# **Healthy Youth Survey 2010 Survey Results**

**Island County (County No. 15)**

**Grade 6**

RMC Research Corporation  
111 SW Columbia Street, Suite 1200  
Portland, OR 97201

March 18, 2011

# Contents

---

Introduction and Overview .....	1
Key to the Notes.....	1
Highlights of the Local Results .....	2
Selected Results by Gender .....	3
General Information (Items 1–14).....	4
Alcohol, Tobacco, and Other Drug (ATOD) Use.....	5
Lifetime Use (Items 15-23).....	5
30-Day Use (Items 24–33).....	5
Other Tobacco-Related Questions (Items 34–49).....	6
Other Alcohol- and Drug-Related Questions (Items 50-62).....	8
Other Health Concerns .....	9
Nutrition and Fitness (Items 63-78) .....	9
Health Conditions and Health Care (Items 79–88) .....	10
Sexual Behavior (Items 89–92).....	10
Safety (Items 93–99).....	11
Behaviors Related to Intentional Injuries (Items 100–109).....	11
Depression (Items 110–119) .....	12
Gambling (Items 120–121) .....	12
School Climate (Items 122–135).....	12
Quality of Life (Items 136–146).....	12
Risk and Protective Factors .....	13
Risk and Protective Factor Framework and Reporting Schedule .....	14
Risk and Protective Factor Scale Results .....	15
Graph of Scale Results .....	16
Risk and Protective Factors: Individual Item Results.....	17
Community Domain (Items 147–167) .....	17
Family Domain (Items 168–185) .....	19
School Domain (Items 186–203) .....	20
Peer and Individual Domain (Items 204–256) .....	22
Item Index.....	25

# Healthy Youth Survey 2010 Survey Results

## Island County (County No. 15), Grade 6

<b>Number of students surveyed:</b>	<b>527</b>
<b>Number of valid responses:</b>	<b>515</b>
<b>Estimate of enrolled students:*</b>	<b>657</b>
<b>Survey participation rate:**</b>	<b>78%</b>

### Introduction and Overview

The impact of adolescent health risk behaviors remains a primary concern of citizens throughout the country. Many health problems experienced by adolescents are caused by a very few preventable behaviors. Patterns of alcohol, tobacco, and other drug (ATOD) use and related risk behaviors are often formed during adolescence. These patterns play an important role in health throughout adulthood.

This report presents results from the fall 2010 Healthy Youth Survey in Washington State. This survey was sponsored by the Department of Health (DOH), Office of Superintendent of Public Instruction, the Department of Social and Health Services, the Department of Commerce, the Family Policy Council, and the Liquor Control Board in cooperation with schools throughout the state of Washington.

For each item, local results appear in the first two columns and statewide results appear in the second two columns. The number of valid responses (“*n*”) appears in parentheses for each item. Survey items covering the same topics are grouped together (the item numbering is specific to this report and does not necessarily reflect the item order on the actual survey). The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site (<http://www.hys.wa.gov/>).

Survey participation rates can be found on the Healthy Youth Survey web site. The following guidance from DOH may be used when reviewing your results. However, if a particular group(s) of students did not complete the survey and therefore did not contribute to your results, there may be limitations to your results even if you have a high participation rate (i.e., if differences exist between students who *did* and who *did not* complete the survey). There may be value in discussing the potential limitations when using the results in this report.

- 70% or greater participation—Results are probably representative of students in this grade.
- 40–69% participation—Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

### Key to the Notes

The survey was administered in 4 versions: Forms A and B (or alternate Form NS, identical to Form B but without the sexual behavior questions) were administered to students in Grades 8, 10, and 12. Forms A and B (or NS) contained a core set of common items (see “List of Core Items” on the last page of this report) and additional items unique to each form. Form C was administered to students in Grade 6. This form consisted primarily of items drawn from Forms A and B but also included some unique items. Several items on each form were optional at the discretion of the school; schools that did not administer the optional items tore off the last page of the survey booklet. The following notes are used throughout this report to document the differences between the items on different versions and indicate the optional items:

- A = wording on Form A
- B = wording on Form B (and NS)
- C = wording on Form C
- † = optional item

\* Estimate of enrolled students based on figures from the 2008–2009 school year, provided by OSPI (or later if school not in 2008 enrollment file).


\*\* Participation rate = valid responses ÷ enrolled students (may be >100% if enrollment greater in 2010 than 2008).

### Highlights of the Local Results


Your students and students statewide reported the following behaviors and attitudes:

	Your students		Statewide	
▪ Smoking cigarettes in the past 30 days (see item 24).	1.8%	(± 1.2%)	1.7%	(± 0.4%)
▪ Drinking alcohol in the past 30 days (see item 28).	2.2	(± 1.3)	3.8	(± 0.5)
▪ Using marijuana or hashish in the past 30 days (see item 29).	0.8	(± 0.8)	1.6	(± 0.4)
▪ Drinking five or more drinks in a row in the past 2 weeks (see Item 55).	2.3	(± 1.3)	3.7	(± 0.6)
▪ Carrying a weapon at school in the past 30 days (see item 101).	2.3	(± 1.3)	2.9	(± 0.4)
▪ Being bullied in the past 30 days (see item 122).	29.3	(± 4.1)	30.4	(± 1.4)
▪ Enjoyed being in school over the past year (see item 191).	55.8	(± 4.3)	57.1	(± 1.6)
▪ Feeling safe at school (see item 202).	86.8	(± 2.9)	86.8	(± 1.1)

#### Substance Use



#### Bullying and School Climate



### Selected Results by Gender

Selected items are presented by gender to highlight any differences between females and males. The p-values reported after each item can be used to examine whether differences in the local data between females and males are statistically significant. A p-value of less than .05 means, for the local results, there is a significant difference between females and males (i.e., the probability that the difference occurred by chance is less than 5%). To ensure student anonymity, local results are suppressed for each item on this page if any cell (e.g., females who reported smoking) represented fewer than 10 students.

During the past 30 days, on how many days did you smoke cigarettes? (See item 24.)

	Local (n = *)		State (n = 11,129)	
	Female	Male	Female	Male
None	*. *%	*. *%	98.6%	97.9%
1 or more	*. *	*. *	1.4	2.1

*Note.* p = \* from a chi-square test.

During the past 30 days, on how many days did you drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)? (See item 28.)

	Local (n = *)		State (n = 11,072)	
	Female	Male	Female	Male
None	*. *%	*. *%	97.0%	95.5%
1 or more	*. *	*. *	3.0	4.5

*Note.* p = \* from a chi-square test.

Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) (See item 55.)

	Local (n = *)		State (n = 10,854)	
	Female	Male	Female	Male
None	*. *%	*. *%	97.3%	95.4%
Once or more	*. *	*. *	2.8	4.6

*Note.* p = \* from a chi-square test.

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (See item 110.)

[Only on the secondary version of the survey.]

In the last 30 days, how often have you been bullied? (See item 122.)

	Local (n = 484)		State (n = 10,826)	
	Female	Male	Female	Male
I have not been bullied	69.9%	71.5%	69.9%	69.3%
Once or more	30.1	28.5	30.1	30.7

*Note.* p = .697 from a chi-square test.

I feel safe at my school. (See item 202.)

	Local (n = 507)		State (n = 11,323)	
	Female	Male	Female	Male
No	10.0%	16.6%	10.5%	16.0%
Yes	90.0	83.4	89.5	84.0

*Note.* p = .029 from a chi-square test.

## General Information

[Item 1 appears only on the secondary version of the survey.]

	Local ( <i>n</i> = 514)	State ( <i>n</i> = 11,523)
2. How old are you?		
a. 10 or younger	1.8% (± 1.1%)	2.1% (± 0.3%)
b. 11	74.7 (± 3.8)	72.7 (± 1.4)
c. 12	23.0 (± 3.6)	24.3 (± 1.3)
d. 13	0.6 (± 0.7)	0.8 (± 0.2)
e. 14	0.0 (± 0.0)	0.1 (± 0.1)
f. 15 or older	0.0 (± 0.0)	0.0 (± 0.0)

	Local ( <i>n</i> = 515)	State ( <i>n</i> = 11,512)
3. Are you:		
a. Female	51.5% (± 4.3%)	50.3% (± 0.9%)
b. Male	48.5 (± 4.3)	49.7 (± 0.9)

	Local ( <i>n</i> = 483)	State ( <i>n</i> = 11,201)
4. How do you describe yourself? (Select one or more responses.)		
b. Asian or Asian American	10.4% (± 2.7%)	8.9% (± 2.3%)
a. American Indian or Alaskan Native	6.8 (± 2.3)	4.8 (± 0.8)
c. Black or African-American	3.7 (± 1.7)	5.6 (± 1.5)
d. Hispanic or Latino/Latina	5.0 (± 1.9)	14.9 (± 3.6)
e. Native Hawaiian or other Pacific Islander	2.1 (± 1.3)	1.8 (± 0.4)
f. White or Caucasian	37.3 (± 4.3)	37.6 (± 4.4)
g. Other	22.0 (± 3.7)	14.5 (± 1.1)
<i>More than one race/ethnicity marked</i>	12.8 (± 3.0)	12.0 (± 1.1)

[Item 5 appears only on the secondary version of the survey.]

	Local ( <i>n</i> = 511)	State ( <i>n</i> = 11,412)
6. What language is usually spoken in the home?		
a. English	94.3% (± 2.0%)	80.5% (± 4.1%)
b. Spanish	2.9 (± 1.5)	12.0 (± 3.7)
c. Other	2.7 (± 1.4)	7.5 (± 2.0)

[Items 7–13 appear only on the secondary version of the survey.]

	Local ( <i>n</i> = 448)	State ( <i>n</i> = 10,099)
14. How honest were you in filling out this survey?		
a. I was very honest	89.3% (± 2.9%)	89.6% (± 1.0%)
b. I was honest pretty much of the time	9.6 (± 2.7)	9.0 (± 0.9)
c. I was honest some of the time	1.1 (± 1.0)	1.5 (± 0.3)
d. I was honest once in a while		Surveys pulled
e. I was not honest at all		Surveys pulled

## Alcohol, Tobacco, and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. The economic costs of ATOD use are enormous (in Washington State an estimated \$1.81 billion in 1990, \$2.54 billion in 1996, and \$5.21 billion in 2005). Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

### Lifetime Use

[Item 15 appears only on the secondary version of the survey.]

16.	Have you ever had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)? (Computed from item 211 or 212.)			
		Local (n = 490)		State (n = 10,970)
	a. No	73.5%	(± 3.9%)	73.7% (± 1.2%)
	b. Yes	26.5	(± 3.9)	26.3 (± 1.2)
17.	Have you ever smoked marijuana? (Computed from item 208 or 209.)			
		Local (n = 487)		State (n = 10,982)
	a. No	98.8%	(± 1.0%)	96.1% (± 0.6%)
	b. Yes	1.2	(± 1.0)	3.9 (± 0.6)
18.	Have you ever, even once in your lifetime, used inhalants (things you sniff to get high)?			
		Local (n = 489)		State (n = 10,957)
	b. No	98.0%	(± 1.3%)	96.5% (± 0.5%)
	a. Yes	2.0	(± 1.3)	3.5 (± 0.5)

[Items 19–22 appear only on the secondary version of the survey.]

23.	Have you ever, even once in your lifetime, used other illegal drugs?			
		Local (n = 488)		State (n = 10,943)
	b. No	98.0%	(± 1.3%)	97.7% (± 0.4%)
	a. yes	2.1	(± 1.3)	2.3 (± 0.4)

### 30-Day Use (Use in the Past 30 Days)

*During the past 30 days, on how many days did you:*

24.	Smoke cigarettes?			
		Local (n = 496)		State (n = 11,161)
	a. None	98.2%	(± 1.2%)	98.3% (± 0.4%)
	b. 1–2 days	1.0	(± 0.9)	1.1 (± 0.2)
	c. 3–5 days	0.4	(± 0.5)	0.2 (± 0.1)
	d. 6–9 days	0.0	(± 0.0)	0.1 (± 0.1)
	e. 10–29 days	0.2	(± 0.4)	0.1 (± 0.1)
	f. All 30 days	0.2	(± 0.4)	0.2 (± 0.1)
	<i>Any use in past 30 days</i>	1.8	(± 1.2)	1.7 (± 0.4)

	Local (n = 494)		State (n = 11,108)	
25. Use chewing tobacco, snuff, or dip?				
a. None	99.8%	(± 0.4%)	99.0%	(± 0.3%)
b. 1–2 days	0.2	(± 0.4)	0.7	(± 0.2)
c. 3–5 days	0.0	(± 0.0)	0.2	(± 0.1)
d. 6–9 days	0.0	(± 0.0)	0.1	(± 0.0)
e. 10–29 days	0.0	(± 0.0)	0.1	(± 0.0)
f. All 30 days	0.0	(± 0.0)	0.1	(± 0.1)
<i>Any use in past 30 days</i>	0.2	(± 0.4)	1.0	(± 0.3)

[Items 26–27 appear only on the secondary version of the survey.]

	Local (n = 490)		State (n = 11,103)	
28. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?				
a. None	97.8%	(± 1.3%)	96.2%	(± 0.5%)
b. 1–2 days	2.0	(± 1.3)	2.7	(± 0.3)
c. 3–5 days	0.2	(± 0.4)	0.5	(± 0.2)
d. 6–9 days	0.0	(± 0.0)	0.2	(± 0.1)
e. 10 or more days	0.0	(± 0.0)	0.3	(± 0.1)
<i>Any use in past 30 days</i>	2.2	(± 1.3)	3.8	(± 0.5)

	Local (n = 493)		State (n = 11,067)	
29. Use marijuana or hashish (grass, hash, pot)?				
a. None	99.2%	(± 0.8%)	98.4%	(± 0.4%)
b. 1–2 days	0.6	(± 0.7)	0.8	(± 0.2)
c. 3–5 days	0.2	(± 0.4)	0.3	(± 0.1)
d. 6–9 days	0.0	(± 0.0)	0.3	(± 0.1)
e. 10 or more days	0.0	(± 0.0)	0.3	(± 0.1)
<i>Any use in past 30 days</i>	0.8	(± 0.8)	1.6	(± 0.4)

	Local (n = 490)		State (n = 11,018)	
30. Not counting alcohol, tobacco, or marijuana, use another illegal drug?				
a. None	99.6%	(± 0.6%)	99.1%	(± 0.2%)
b. 1–2 days	0.4	(± 0.6)	0.4	(± 0.1)
c. 3–5 days	0.0	(± 0.0)	0.2	(± 0.1)
d. 6–9 days	0.0	(± 0.0)	0.1	(± 0.0)
e. 10 or more days	0.0	(± 0.0)	0.3	(± 0.1)
<i>Any use in past 30 days</i>	0.4	(± 0.6)	0.9	(± 0.2)

	Local (n = 489)		State (n = 10,988)	
31. Use any illegal drug, including marijuana? (Computed from items 29 and 30.)				
None	99.0%	(± 0.9%)	98.0%	(± 0.4%)
1 or more	1.0	(± 0.9)	2.0	(± 0.4)
<i>Any use in the past 30 days</i>	1.0	(± 0.9)	2.0	(± 0.4)

[Items 32–33 appear only on the secondary version of the survey.]

### Other Tobacco-Related Questions

	Local (n = 476)		State (n = 10,763)	
34. If one of your best friends offered you a cigarette, would you smoke it?				
a. Definitely no	93.1%	(± 2.3%)	89.4%	(± 1.1%)
b. Probably no	5.0	(± 2.0)	7.4	(± 0.7)
c. Probably yes	1.5	(± 1.1)	2.3	(± 0.5)
d. Definitely yes	0.4	(± 0.6)	0.8	(± 0.2)



35.	Do you think that you will smoke a cigarette anytime in the next year?	Local (n = 474)	State (n = 10,727)
a.	Definitely no	92.0% (± 2.5%)	88.7% (± 1.2%)
b.	Probably no	6.3 (± 2.2)	8.1 (± 0.8)
c.	Probably yes	1.5 (± 1.1)	2.3 (± 0.4)
d.	Definitely yes	0.2 (± 0.4)	0.9 (± 0.2)
36.	Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking. (Computed from both items 34 and 35).	Local (n = 474)	State (n = 10,726)
a.	Yes, not susceptible	88.8% (± 2.8%)	85.6% (± 1.3%)
b.	No, susceptible	11.2 (± 2.8)	14.4 (± 1.3)
37.	Do you think young people risk harming themselves if they smoke 1–5 cigarettes a day?	Local (n = 456)	State (n = 10,309)
a.	Definitely no	4.4% (± 1.9%)	7.7% (± 1.0%)
b.	Probably no	5.3 (± 2.1)	5.2 (± 0.5)
c.	Probably yes	24.8 (± 4.0)	26.3 (± 0.9)
d.	Definitely yes	65.6 (± 4.4)	60.8 (± 1.5)
38.	During the past year in school, how many times did you get information in classes about the dangers of tobacco use?	Local (n = 506)	State (n = 11,312)
a.	None	16.2% (± 3.2%)	24.2% (± 2.2%)
b.	Once	13.2 (± 3.0)	19.6 (± 1.3)
c.	2 or 3 times	34.6 (± 4.1)	31.3 (± 1.5)
d.	4 or more times	36.0 (± 4.2)	25.0 (± 2.5)

[Items 39–40 appear only on the secondary version of the survey.]

41.	Do you think the smoke from other people's cigarettes (secondhand smoke) is harmful to you?	Local (n = 442)	State (n = 10,045)
a.	Definitely no	4.3% (± 1.9%)	6.6% (± 0.9%)
b.	Probably no	4.8 (± 2.0)	6.2 (± 0.6)
c.	Probably yes	31.2 (± 4.3)	30.3 (± 1.4)
d.	Definitely yes	59.7 (± 4.6)	56.9 (± 1.7)

[Item 42 appears only on the secondary version of the survey.]

43.	During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	Local (n = 447)	State (n = 10,116)
a.	0 days	73.6% (± 4.1%)	76.4% (± 1.6%)
b.	1–2 days	11.9 (± 3.0)	11.8 (± 0.7)
c.	3–4 days	3.6 (± 1.7)	4.1 (± 0.5)
d.	5–6 days	3.1 (± 1.6)	1.6 (± 0.3)
e.	7 days	7.8 (± 2.5)	6.1 (± 0.7)

[Item 44 appears only on the secondary version of the survey.]

45.	During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?	Local (n = 444)	State (n = 10,075)
a.	0 days	76.8% (± 3.9%)	80.0% (± 2.0%)
b.	1-2 days	10.1 (± 2.8)	8.9 (± 1.0)
c.	3-4 days	4.7 (± 2.0)	4.1 (± 0.5)
d.	5-6 days	3.6 (± 1.7)	2.1 (± 0.4)
e.	7 days	4.7 (± 2.0)	4.9 (± 0.6)

46. Has either of your parents (or guardians) discussed the dangers of tobacco use with you?		Local		State
		(n = 443)		(n = 10,111)
	a. Mother (or female guardian) only	13.1%	(± 3.1%)	14.9% (± 0.9%)
	b. Father (or male guardian) only	5.0	(± 2.0)	4.1 (± 0.4)
	c. Both	65.0	(± 4.4)	59.5 (± 1.5)
d. Neither	16.9	(± 3.5)	21.5 (± 1.1)	

[Items 47–49 appears only on the secondary version of the survey.]

### Other Alcohol- and Drug-Related Questions

[Items 50–51 appear only on the secondary version of the survey.]

52. During the past year in school, how many times did you get information in classes about reasons not to use alcohol and other drugs?		Local		State
		(n = 454)		(n = 10,229)
	a. None	12.6%	(± 3.1%)	19.4% (± 1.7%)
	b. Once	12.6	(± 3.1)	17.9 (± 1.3)
	c. 2 or 3 times	32.2	(± 4.3)	30.2 (± 1.3)
d. 4 or more times	42.7	(± 4.5)	32.5 (± 2.3)	

[Items 53–54 appear only on the secondary version of the survey.]

55. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)		Local		State
		(n = 484)		(n = 10,883)
	a. None	97.7%	(± 1.3%)	96.4% (± 0.6%)
	b. Once	1.7	(± 1.1)	2.2 (± 0.3)
	c. Twice	0.4	(± 0.6)	0.7 (± 0.2)
	d. 3–5 times	0.2	(± 0.4)	0.3 (± 0.1)
	e. 6–9 times	0.0	(± 0.0)	0.1 (± 0.1)
f. 10 or more times	0.0	(± 0.0)	0.3 (± 0.1)	

[Items 56–57 appear only on the secondary version of the survey.]

58. Drinking Categories Variable (Computed from items 28 and 55).		Local		State
		(n = 478)		(n = 10,850)
	a. No alcohol use	95.8%	(± 1.8%)	94.3% (± 0.7%)
	b. 1-2 days and no binges	1.7	(± 1.2)	1.7 (± 0.2)
	c. 3-5 days or 1 binge	1.9	(± 1.2)	2.4 (± 0.4)
d. 6+ days or 2+ binges	0.6	(± 0.7)	1.6 (± 0.4)	

[Items 59–62 appear only on the secondary version of the survey.]

## Other Health Concerns

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, depression, and gambling behavior. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

### Nutrition and Fitness

[Items 63–64 appear only on the secondary version of the survey.]

	Local (n = 439)	State (n = 8,866)
65. How often do you eat dinner with your family? <sup>†</sup>		
a. Never	2.1% (± 1.3%)	3.2% (± 0.5%)
b. Rarely	10.5 (± 2.9)	8.9 (± 0.9)
c. Sometimes	10.5 (± 2.9)	12.4 (± 0.9)
d. Most of the time	33.5 (± 4.4)	30.8 (± 1.3)
e. Always	43.5 (± 4.6)	44.7 (± 1.5)

[Item 66 appears only on the secondary version of the survey.]

	Local (n = 457)	State (n = 10,246)
67. Did you eat breakfast today?		
a. Yes	81.6% (± 3.5%)	77.2% (± 1.9%)
b. No	18.4 (± 3.5)	22.8 (± 1.9)

	Local (n = 452)	State (n = 10,199)
68. How many sodas or pops did you drink yesterday? (Do not count diet soda.)		
a. None	70.1% (± 4.2%)	65.2% (± 2.0%)
b. 1	21.2 (± 3.8)	24.2 (± 1.2)
c. 2	6.6 (± 2.3)	6.0 (± 0.7)
d. 3	0.4 (± 0.6)	2.0 (± 0.3)
e. 4 or more	1.6 (± 1.1)	2.6 (± 0.5)

[Items 69–70 appear only on the secondary version of the survey.]

### *On how many of the past 7 days did you:*

	Local (n = 505)	State (n = 11,242)
71. In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)		
a. 0 days	3.8% (± 1.7%)	5.4% (± 0.6%)
b. 1 day	5.2 (± 1.9)	4.9 (± 0.4)
c. 2 days	6.5 (± 2.2)	7.4 (± 0.6)
d. 3 days	9.5 (± 2.6)	11.1 (± 0.8)
e. 4 days	12.7 (± 2.9)	12.8 (± 0.8)
f. 5 days	17.4 (± 3.3)	17.6 (± 0.8)
g. 6 days	14.7 (± 3.1)	12.2 (± 1.1)
h. 7 days	30.3 (± 4.0)	28.7 (± 1.2)

72.	On average how many days a week do you walk to or from school?	Local (n = 513)	State (n = 11,505)
	a. Never	61.0% (± 4.2%)	64.8% (± 4.5%)
	b. 1–2	11.7 (± 2.8)	10.3 (± 1.1)
	c. 3–4	7.0 (± 2.2)	6.4 (± 1.0)
	d. I walk every day	20.3 (± 3.5)	18.5 (± 3.0)
73.	On average how many days a week do you ride a bicycle to or from school?	Local (n = 513)	State (n = 11,499)
	a. Never	93.0% (± 2.2%)	91.9% (± 1.1%)
	b. 1–2	3.3 (± 1.5)	4.3 (± 0.6)
	c. 3–4	1.8 (± 1.1)	1.8 (± 0.3)
	d. I bike every day	2.0 (± 1.2)	2.0 (± 0.5)

[Items 74–78 appear only on the secondary version of the survey.]

### Health Conditions and Health Care

79.	Has a doctor or nurse ever told you that you have asthma?	Local (n = 509)	State (n = 11,481)
	a. Yes	14.0% (± 3.0%)	14.4% (± 0.8%)
	b. No	75.6 (± 3.7)	75.9 (± 0.9)
	c. Not sure	10.4 (± 2.6)	9.7 (± 0.5)
80.	Do you still have asthma?	Local (n = 507)	State (n = 11,455)
	a. I have never had asthma	67.5% (± 4.1%)	68.9% (± 1.1%)
	b. Yes	10.5 (± 2.7)	10.3 (± 0.7)
	c. No	12.4 (± 2.9)	11.0 (± 0.7)
	d. Not sure	9.7 (± 2.6)	9.8 (± 0.5)

[Items 81–84 appear only on the secondary version of the survey.]

85.	During the past year, did you miss any time from school because of a toothache (do not include toothache due to braces or an injury)? (For the secondary version of this question, please see Item 256.)	Local (n = 505)	State (n = 11,439)
	a. Yes	5.7% (± 2.0%)	8.4% (± 0.8%)
	b. No	84.8 (± 3.1)	81.8 (± 1.4)
	c. Not sure	9.5 (± 2.6)	9.8 (± 0.8)

[Items 86–88 appear only on the secondary version of the survey.]

### Sexual Behavior

[Items 89–92 appear only on the secondary version of the survey.]

**Safety**

[Item 93 appears only on the secondary version of the survey.]

	Local (n = 511)	State (n = 11,504)
94. When you ride a bicycle, how often do you wear a helmet?		
a. I do not ride a bicycle	13.3% (± 2.9%)	11.5% (± 1.2%)
b. Never wear a helmet	14.9 (± 3.1)	22.6 (± 3.2)
c. Rarely wear a helmet	16.1 (± 3.2)	13.2 (± 1.2)
d. Sometimes wear a helmet	11.2 (± 2.7)	13.4 (± 0.9)
e. Most of the time wear a helmet	17.6 (± 3.3)	15.4 (± 1.5)
f. Always wear a helmet	27.0 (± 3.8)	23.9 (± 3.2)

[Item 95 appears only on the secondary version of the survey.]

	Local (n = 514)	State (n = 11,512)
96. How often do you wear a seat belt when riding in a car (driven by someone else) <sup>B</sup> ?		
a. Never	0.0% (± 0.0%)	0.8% (± 0.2%)
b. Rarely	0.6 (± 0.7)	1.2 (± 0.2)
c. Sometimes	2.5 (± 1.4)	3.2 (± 0.5)
d. Most of the time	10.5 (± 2.6)	13.5 (± 0.8)
e. Always	86.4 (± 3.0)	81.3 (± 1.2)

[Item 97 appears only on the secondary version of the survey.]

	Local (n = 459)	State (n = 10,292)
98. Have you ever ridden in a car driven by someone who had been drinking alcohol?		
a. Yes	16.3% (± 3.4%)	19.5% (± 1.5%)
b. No	67.1 (± 4.3)	62.6 (± 1.3)
c. Not sure	16.6 (± 3.4)	17.9 (± 0.9)

[Item 99 appears only on the secondary version of the survey.]

**Behaviors Related to Intentional Injuries**

[Item 100 appears only on the secondary version of the survey.]

	Local (n = 487)	State (n = 10,986)
101. During the past 30 days, did you carry a weapon such as a gun, knife, or club on school property?		
a. Yes	2.3% (± 1.3%)	2.9% (± 0.4%)
b. No	97.7 (± 1.3)	97.1 (± 0.4)

[Item 102 appears only on the secondary version of the survey.]

	Local (n = 479)	State (n = 10,816)
103. During the past 12 months, how many times were you in a physical fight?		
a. 0 times	73.3% (± 4.0%)	70.7% (± 1.4%)
b. 1 time	13.2 (± 3.0)	13.3 (± 0.8)
c. 2–3 times	8.1 (± 2.5)	8.3 (± 0.6)
d. 4–5 times	2.1 (± 1.3)	2.5 (± 0.3)
e. 6 or more times	3.3 (± 1.6)	5.3 (± 0.5)

[Items 104–109 appear only on the secondary version of the survey.]

## Depression

[Items 110–113 appear only on the secondary version of the survey.]

	Local ( <i>n</i> = 480)	State ( <i>n</i> = 10,796)
114. Have you ever seriously thought about killing yourself?		
a. Yes	11.7% (± 2.9%)	14.0% (± 1.1%)
b. No	88.3 (± 2.9)	86.0 (± 1.1)
115. Have you ever tried to kill yourself?		
a. Yes	2.5% (± 1.4%)	4.5% (± 0.5%)
b. No	97.5 (± 1.4)	95.5 (± 0.5)
116. When you feel sad or hopeless, are there adults you can turn to for help?		
a. I never feel sad or hopeless	21.5% (± 3.7%)	22.3% (± 1.0%)
b. Yes	57.7 (± 4.4)	57.5 (± 1.7)
c. No	8.5 (± 2.5)	8.7 (± 0.7)
d. Not sure	12.3 (± 2.9)	11.6 (± 0.8)

[Items 117–119 appear only on the secondary version of the survey.]

## Gambling

[Items 120–121 appear only on the secondary version of the survey.]

## School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

	Local ( <i>n</i> = 484)	State ( <i>n</i> = 10,856)
122. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or fight. In the last 30 days, how often have you been bullied?		
a. I have not been bullied	70.7% (± 4.1%)	69.6% (± 1.4%)
b. Once	14.9 (± 3.2)	15.0 (± 0.8)
c. 2–3 times	7.6 (± 2.4)	7.9 (± 0.6)
d. About once a week	2.9 (± 1.5)	2.2 (± 0.3)
e. Several times a week	3.9 (± 1.7)	5.3 (± 0.5)

[Items 123–135 appear only on the secondary version of the survey.]

## Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the items related to individual quality of life.

[Items 136–143 appear only on the secondary version of the survey.]

144. Has your parent or guardian served in the military (Army, Navy, Air Force, Marines, Coast Guard, National Guard, and Reserves)?		
	Local ( <i>n</i> = 509)	State ( <i>n</i> = 11,461)
a. No	35.6% (± 4.2%)	65.2% (± 2.0%)
b. Yes	56.0 (± 4.3)	23.2 (± 2.1)
c. Not sure	8.5 (± 2.4)	11.7 (± 0.9)

[Item 145 appears only on the secondary version of the survey.]

146. Do you have goals and plans for the future?		
	Local ( <i>n</i> = 500)	State ( <i>n</i> = 11,298)
a. No	13.8% (± 3.0%)	12.6% (± 0.9%)
b. Yes	86.2 (± 3.0)	87.4 (± 0.9)

## Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research has shown that protective factors exert a positive influence against the negative influence of risk factors. The survey included substantial coverage of risk and protective factors based on the work of Drs. Hawkins and Catalano and associates at the University of Washington. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey items were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

The table on the following page provides the complete list of risk and protective factors and indicates the years the Healthy Youth Survey has included each factor.

**Risk and Protective Factor Framework and Reporting Schedule**

	Healthy Youth Survey Administration Year							
	1995	1998	2000	2002	2004	2006	2008	2010
<b>Community Risk Factors</b>								
Low Neighborhood Attachment	X	X	X	X <sup>S</sup>		X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Community Disorganization	X							
Transitions and Mobility	X				X <sup>S</sup>			
Perceived Availability of Drugs	X	X	X	X	X	X	X	X
Perceived Availability of Handguns	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X	X	X
<b>Community Protective Factors</b>								
Opportunities for Prosocial Involvement			X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X	X	X <sup>E</sup>
<b>Family Risk Factors</b>								
Family History of Antisocial Behavior	X							
Poor Family Management	X			X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>
Family Conflict								
Parental Attitudes Favorable towards Drug Use					X <sup>S, †</sup>		X <sup>S, †</sup>	X <sup>S</sup>
Parental Attitudes Favorable to Antisocial Behavior	X				X <sup>S, †</sup>			
Antisocial Behavior Among Familiar Adults				X <sup>S</sup>				
<b>Family Protective Factors</b>								
Attachment								
Opportunities for Prosocial Involvement	X			X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>
Rewards for Prosocial Involvement	X			X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>
<b>School Risk Factors</b>								
Academic Failure	X	X	X	X	X	X	X	X
Low Commitment to School	X	X	X	X	X	X	X	X
<b>School Protective Factors</b>								
Opportunities for Prosocial Involvement	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X	X	X
<b>Peer-Individual Risk Factors</b>								
Rebelliousness	X	X						
Gang Involvement								
Perceived Risk of Drug Use		X	X	X	X	X	X	X
Early Initiation of Drug Use			X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Early Initiation of Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X	X	X
Favorable Attitudes Towards Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Sensation Seeking	X	X						
Rewards for Antisocial Involvement		X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
Friends' Use of Drugs	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Antisocial Peers	X	X			X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Intentions to Use				X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
<b>Peer-Individual Protective Factors</b>								
Interaction With Prosocial Peers					X	X	X	X <sup>S</sup>
Belief in the Moral Order	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Prosocial Involvement					X	X	X <sup>E</sup>	X <sup>E</sup>
Rewards for Prosocial Involvement								
Social Skills	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Religiosity		X						

Note. S = Included only on the secondary version; E = Included only on the elementary version; † = Based on optional items.




## Risk and Protective Factor Scale Results

For each *risk* factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that *more* students are likely to engage in problem behaviors. For each *protective* factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that *fewer* students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

<b>Community Risk Factors</b>	Local ( <i>n</i> = 466)	State ( <i>n</i> = 10,671)
Perceived Availability of Drugs (Items 150–153)	19.1% (± 3.6%)	22.6% (± 1.3%)
Laws And Norms Favorable to Drug Use (Items 155–160)	36.8% (± 4.3%)	36.5% (± 1.6%)
<b>Community Protective Factors</b>	Local ( <i>n</i> = 496)	State ( <i>n</i> = 11,202)
Rewards for Prosocial Involvement (Items 165–167)	32.1% (± 4.1%)	35.9% (± 1.3%)
<b>Family Risk Factors</b>	[Only on the secondary version of the survey.]	
<b>Family Protective Factors</b>	Local ( <i>n</i> = 441)	State ( <i>n</i> = 8,868)
Opportunities for Prosocial Involvement (Items 176–178)	53.7% (± 4.6%)	53.2% (± 1.9%)
Rewards for Prosocial Involvement (Items 179–182)	57.2% (± 4.6%)	56.8% (± 2.1%)
<b>School Risk Factors</b>	Local ( <i>n</i> = 465)	State ( <i>n</i> = 10,733)
Academic Failure (Items 186–187)	38.9% (± 4.4%)	41.9% (± 2.0%)
Low Commitment to School (Items 188–194)	41.0% (± 4.3%)	38.9% (± 1.5%)
<b>School Protective Factors</b>	Local ( <i>n</i> = 505)	State ( <i>n</i> = 11,335)
Rewards for Prosocial Involvement (Items 200–203)	44.0% (± 4.3%)	49.5% (± 1.6%)
<b>Peer-Individual Risk Factors</b>	Local ( <i>n</i> = 413)	State ( <i>n</i> = 9,134)
Perceived Risk of Drug Use (Items 204–207)	35.4% (± 4.6%)	40.3% (± 2.4%)
Favorable Attitudes Towards Drug Use (Items 218–221)	17.1% (± 3.4%)	20.9% (± 1.5%)
<b>Peer-Individual Protective Factors</b>	Local ( <i>n</i> = 497)	State ( <i>n</i> = 11,195)
Prosocial Involvement (Items 250–252)	39.8% (± 4.3%)	39.7% (± 2.0%)

**Graph of Scale Results**

**Risk and Protective Factors**



## Risk and Protective Factors: Individual Item Results

The remainder of the report provides results for the individual items used to compute the risk and protective factors.

### Community Domain

[Items 147–149 appear only on the secondary version of the survey.]

150. If you wanted to get some beer, wine, or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?		
	Local ( <i>n</i> = 477)	State ( <i>n</i> = 10,760)
a. Very hard	75.1% (± 3.9%)	69.5% (± 1.2%)
b. Sort of hard	12.0 (± 2.9)	15.6 (± 0.8)
c. Sort of easy	9.9 (± 2.7)	8.2 (± 0.5)
d. Very easy	3.1 (± 1.6)	6.8 (± 0.5)

151. If you wanted to get some cigarettes, how easy would it be for you to get some?		
	Local ( <i>n</i> = 470)	State ( <i>n</i> = 10,702)
a. Very hard	73.6% (± 4.0%)	71.2% (± 1.4%)
b. Sort of hard	13.0 (± 3.0)	13.5 (± 0.6)
c. Sort of easy	7.5 (± 2.4)	7.9 (± 0.6)
d. Very easy	6.0 (± 2.1)	7.4 (± 0.7)

152. If you wanted to get some marijuana, how easy would it be for you to get some?		
	Local ( <i>n</i> = 464)	State ( <i>n</i> = 10,635)
a. Very hard	88.2% (± 2.9%)	84.3% (± 1.4%)
b. Sort of hard	6.3 (± 2.2)	7.2 (± 0.6)
c. Sort of easy	3.7 (± 1.7)	4.3 (± 0.6)
d. Very easy	1.9 (± 1.3)	4.3 (± 0.6)

153. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?		
	Local ( <i>n</i> = 462)	State ( <i>n</i> = 10,590)
a. Very hard	91.6% (± 2.5%)	87.5% (± 0.9%)
b. Sort of hard	5.2 (± 2.0)	7.1 (± 0.6)
c. Sort of easy	2.6 (± 1.5)	2.8 (± 0.4)
d. Very easy	0.7 (± 0.7)	2.7 (± 0.4)

[Item 154 appears only on the secondary version of the survey.]

155. How wrong would most adults in your neighborhood <sup>C</sup> / neighborhood or community <sup>A</sup> think it was for kids your age to use marijuana?		
	Local ( <i>n</i> = 485)	State ( <i>n</i> = 11,075)
a. Very wrong	85.0% (± 3.2%)	83.5% (± 1.4%)
b. Wrong	9.9 (± 2.7)	10.4 (± 0.8)
c. A little bit wrong	3.3 (± 1.6)	3.9 (± 0.5)
d. Not wrong at all	1.9 (± 1.2)	2.2 (± 0.4)

156. How wrong would most adults in your neighborhood <sup>C</sup> / neighborhood or community <sup>A</sup> think it was for kids your age to drink alcohol?		
	Local ( <i>n</i> = 491)	State ( <i>n</i> = 11,097)
a. Very wrong	80.2% (± 3.5%)	78.1% (± 1.1%)
b. Wrong	15.7 (± 3.2)	14.6 (± 0.7)
c. A little bit wrong	2.7 (± 1.4)	5.0 (± 0.5)
d. Not wrong at all	1.4 (± 1.0)	2.2 (± 0.4)

157. How wrong would most adults in your neighborhood <sup>C</sup> / neighborhood or community <sup>A</sup> think it was for kids your age to smoke cigarettes?	Local (n = 492)	State (n = 11,098)
a. Very wrong	81.3% (± 3.4%)	79.3% (± 1.1%)
b. Wrong	13.0 (± 3.0)	13.3 (± 0.6)
c. A little bit wrong	4.7 (± 1.9)	4.7 (± 0.5)
d. Not wrong at all	1.0 (± 0.9)	2.7 (± 0.4)
158. If a kid drank some beer, wine, or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood <sup>C</sup> / community <sup>A</sup> would he or she be caught by the police?	Local (n = 491)	State (n = 10,971)
a. NO!	12.6% (± 2.9%)	12.0% (± 0.8%)
b. no	28.3 (± 4.0)	27.0 (± 1.2)
c. yes	31.6 (± 4.1)	32.1 (± 1.1)
d. YES!	27.5 (± 3.9)	29.0 (± 1.2)
159. If a kid carried a handgun in your neighborhood <sup>C</sup> / community <sup>A</sup> would he or she be caught by the police?	Local (n = 482)	State (n = 10,990)
a. NO!	7.5% (± 2.4%)	8.6% (± 0.6%)
b. no	16.0 (± 3.3)	13.1 (± 0.8)
c. yes	28.8 (± 4.0)	28.5 (± 1.0)
d. YES!	47.7 (± 4.5)	49.9 (± 1.3)
160. If a kid smoked marijuana in your neighborhood <sup>C</sup> / community <sup>A</sup> would he or she be caught by the police?	Local (n = 484)	State (n = 10,929)
a. NO!	9.1% (± 2.6%)	9.4% (± 0.8%)
b. no	21.3 (± 3.6)	20.0 (± 1.1)
c. yes	33.5 (± 4.2)	33.1 (± 1.1)
d. YES!	36.2 (± 4.3)	37.5 (± 1.4)

[Item 161 appears only on the secondary version of the survey.]

***Which of the following activities for people your age are available in your community?***

[Item 162–164 appears only on the secondary version of the survey.]

165. My neighbors notice when I am doing a good job and let me know.	Local (n = 500)	State (n = 11,205)
a. NO!	41.4% (± 4.3%)	40.8% (± 1.7%)
b. no	35.4 (± 4.2)	33.8 (± 1.3)
c. yes	17.8 (± 3.4)	18.8 (± 0.9)
d. YES!	5.4 (± 2.0)	6.7 (± 0.4)
166. There are people in my neighborhood who encourage me to do my best.	Local (n = 494)	State (n = 11,206)
a. NO!	28.5% (± 4.0%)	28.7% (± 1.3%)
b. no	32.0 (± 4.1)	27.4 (± 0.9)
c. yes	28.7 (± 4.0)	30.0 (± 1.1)
d. YES!	10.7 (± 2.7)	13.9 (± 0.7)
167. There are people in my neighborhood who are proud of me when I do something well.	Local (n = 494)	State (n = 11,154)
a. NO!	30.0% (± 4.0%)	28.0% (± 1.2%)
b. no	31.4 (± 4.1)	28.3 (± 1.0)
c. yes	29.0 (± 4.0)	31.6 (± 1.2)
d. YES!	9.7 (± 2.6)	12.1 (± 0.7)

## Family Domain

*The next set of questions asks about your family. When answering these questions, please think about the people you consider to be your family—parents, stepparents, grandparents, aunts, uncles, etc.*

[Items 168–175 appear only on the secondary version of the survey.]

176.	If I had a personal problem, I could ask my mom or dad for help. <sup>†</sup>	Local (n = 441)	State (n = 8,838)
a.	NO!	5.7% (± 2.2%)	6.4% (± 0.6%)
b.	no	6.6 (± 2.3)	7.1 (± 0.7)
c.	yes	29.0 (± 4.2)	29.4 (± 1.1)
d.	YES!	58.7 (± 4.6)	57.1 (± 1.7)
177.	My parents give me lots of chances to do fun things with them. <sup>†</sup>	Local (n = 443)	State (n = 8,939)
a.	NO!	5.6% (± 2.2%)	5.8% (± 0.6%)
b.	no	14.5 (± 3.3)	12.3 (± 0.9)
c.	yes	40.9 (± 4.6)	39.9 (± 1.1)
d.	YES!	39.1 (± 4.5)	42.0 (± 1.5)
178.	My parents ask me what I think before most family decisions affecting me are made. <sup>†</sup>	Local (n = 434)	State (n = 8,675)
a.	NO!	9.0% (± 2.7%)	10.8% (± 1.0%)
b.	no	20.3 (± 3.8)	19.6 (± 1.0)
c.	yes	40.6 (± 4.6)	39.2 (± 1.1)
d.	YES!	30.2 (± 4.3)	30.4 (± 1.6)
179.	My parents notice when I am doing a good job and let me know about it. <sup>†</sup>	Local (n = 439)	State (n = 8,835)
a.	Never or almost never	5.0% (± 2.0%)	6.4% (± 0.7%)
b.	Sometimes	19.4 (± 3.7)	20.1 (± 1.5)
c.	Often	26.4 (± 4.1)	28.5 (± 1.2)
d.	All the time	49.2 (± 4.7)	44.9 (± 1.5)
180.	How often do your parents tell you they're proud of you for something you've done? <sup>†</sup>	Local (n = 442)	State (n = 8,820)
a.	Never or almost never	5.4% (± 2.1%)	5.4% (± 0.6%)
b.	Sometimes	17.0 (± 3.5)	17.4 (± 1.3)
c.	Often	32.6 (± 4.4)	31.5 (± 1.2)
d.	All the time	45.0 (± 4.6)	45.7 (± 1.5)
181.	Do you enjoy spending time with your mom <sup>C</sup> /mother <sup>A</sup> ? <sup>†</sup>	Local (n = 440)	State (n = 8,816)
a.	NO!	2.7% (± 1.5%)	2.5% (± 0.4%)
b.	no	5.0 (± 2.0)	3.1 (± 0.5)
c.	yes	24.1 (± 4.0)	24.4 (± 1.1)
d.	YES!	68.2 (± 4.4)	70.0 (± 1.4)
182.	Do you enjoy spending time with your dad <sup>C</sup> /father <sup>A</sup> ? <sup>†</sup>	Local (n = 436)	State (n = 8,674)
a.	NO!	4.6% (± 2.0%)	5.5% (± 0.6%)
b.	no	4.6 (± 2.0)	4.4 (± 0.5)
c.	yes	26.2 (± 4.1)	25.0 (± 1.1)
d.	YES!	64.7 (± 4.5)	65.1 (± 1.8)

[Items 183–185 appear only on the secondary version of the survey.]

### School Domain

186. Putting them all together, what were your grades like last year?	Local (n = 482)	State (n = 11,056)
a. Mostly As	45.6% (± 4.4%)	41.8% (± 2.7%)
b. Mostly Bs	36.1 (± 4.3)	41.0 (± 1.8)
c. Mostly Cs	13.5 (± 3.1)	13.1 (± 1.2)
d. Mostly Ds	3.1 (± 1.5)	2.7 (± 0.4)
e. Mostly Fs	1.7 (± 1.1)	1.5 (± 0.4)
187. Are your school grades better than the grades of most students in your class?	Local (n = 488)	State (n = 11,059)
a. NO!	4.9% (± 1.9%)	5.9% (± 0.7%)
b. no	29.7 (± 4.1)	31.7 (± 1.3)
c. yes	51.8 (± 4.4)	50.1 (± 1.6)
d. YES!	13.5 (± 3.0)	12.3 (± 0.8)
188. How often do you feel the schoolwork you are assigned is meaningful and important?	Local (n = 503)	State (n = 11,308)
a. Almost always	31.2% (± 4.1%)	32.4% (± 1.4%)
b. Often	26.8 (± 3.9)	27.0 (± 1.1)
c. Sometimes	28.2 (± 3.9)	27.7 (± 1.1)
d. Seldom	8.2 (± 2.4)	8.2 (± 0.6)
e. Never	5.6 (± 2.0)	4.7 (± 0.5)
189. How interesting are most of your courses to you?	Local (n = 504)	State (n = 11,067)
a. Very interesting and stimulating	18.1% (± 3.4%)	16.8% (± 1.4%)
b. Quite interesting	37.7 (± 4.2)	36.0 (± 1.3)
c. Fairly interesting	29.8 (± 4.0)	31.7 (± 1.3)
d. Slightly dull	10.3 (± 2.6)	10.6 (± 0.8)
e. Very dull	4.2 (± 1.7)	4.9 (± 0.5)
190. How important do you think the things you are learning in school are going to be for you later in life?	Local (n = 503)	State (n = 11,339)
a. Very important	52.3% (± 4.4%)	56.6% (± 2.0%)
b. Quite important	27.6 (± 3.9)	25.8 (± 1.1)
c. Fairly important	13.3 (± 3.0)	11.4 (± 0.9)
d. Slightly important	5.6 (± 2.0)	4.6 (± 0.5)
e. Not at all important	1.2 (± 0.9)	1.7 (± 0.3)

**Think back over the past year in school. How often did you:**

191. Enjoy being in school?	Local (n = 511)	State (n = 11,511)
a. Never	6.3% (± 2.1%)	6.8% (± 0.6%)
b. Seldom	6.9 (± 2.2)	5.3 (± 0.4)
c. Sometimes	31.1 (± 4.0)	30.9 (± 1.3)
d. Often	22.9 (± 3.6)	24.6 (± 1.2)
e. Almost always	32.9 (± 4.1)	32.5 (± 1.4)

192. Hate being in school?	Local (n = 509)	State (n = 11,424)
a. Never	19.8% (± 3.5%)	24.3% (± 1.1%)
b. Seldom	24.6 (± 3.7)	23.8 (± 1.7)
c. Sometimes	39.7 (± 4.3)	37.1 (± 1.4)
d. Often	8.6 (± 2.5)	7.8 (± 0.6)
e. Almost always	7.3 (± 2.3)	7.0 (± 0.6)
193. Try to do your best work in school?	Local (n = 507)	State (n = 11,384)
a. Never	0.6% (± 0.7%)	1.7% (± 0.3%)
b. Seldom	1.8 (± 1.2)	1.1 (± 0.2)
c. Sometimes	7.1 (± 2.2)	6.2 (± 0.8)
d. Often	15.6 (± 3.2)	18.1 (± 0.9)
e. Almost always	75.0 (± 3.8)	72.9 (± 1.5)
194. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or “cut”?	Local (n = 509)	State (n = 11,437)
a. None	82.7% (± 3.3%)	82.6% (± 1.1%)
b. 1	9.0 (± 2.5)	8.4 (± 0.5)
c. 2	3.0 (± 1.5)	3.7 (± 0.4)
d. 3	2.2 (± 1.3)	2.2 (± 0.4)
e. 4–5	1.8 (± 1.1)	1.8 (± 0.3)
f. 6–10	1.2 (± 0.9)	0.7 (± 0.1)
g. 11 or more	0.2 (± 0.4)	0.6 (± 0.1)
[Items 195–199 appear only on the secondary version of the survey.]		
200. My teacher(s) notices when I am doing a good job and lets me know about it.	Local (n = 505)	State (n = 11,365)
a. NO!	5.9% (± 2.1%)	6.5% (± 0.6%)
b. no	19.0 (± 3.4)	17.0 (± 1.0)
c. yes	53.7 (± 4.4)	52.5 (± 1.1)
d. YES!	21.4 (± 3.6)	24.0 (± 1.2)
201. The school lets my parents know when I have done something well.	Local (n = 503)	State (n = 11,248)
a. NO!	15.9% (± 3.2%)	15.6% (± 0.8%)
b. no	34.8 (± 4.2)	34.7 (± 1.3)
c. yes	37.6 (± 4.2)	35.1 (± 1.2)
d. YES!	11.7 (± 2.8)	14.7 (± 0.8)
202. I feel safe at my school.	Local (n = 507)	State (n = 11,356)
a. NO! <sup>A,C</sup> / Definitely NOT true <sup>B</sup>	3.8% (± 1.6%)	4.1% (± 0.5%)
b. no <sup>A,C</sup> / Mostly not true <sup>B</sup>	9.5 (± 2.5)	9.1 (± 0.8)
c. yes <sup>A,C</sup> / Mostly true <sup>B</sup>	45.8 (± 4.3)	46.6 (± 1.5)
d. YES! <sup>A,C</sup> / Definitely true <sup>B</sup>	41.0 (± 4.3)	40.2 (± 2.1)
203. My teachers praise me when I work hard in school.	Local (n = 495)	State (n = 11,035)
a. NO!	13.5% (± 3.0%)	12.4% (± 0.8%)
b. no	35.0 (± 4.2)	29.6 (± 1.3)
c. yes	41.0 (± 4.3)	44.0 (± 1.3)
d. YES!	10.5 (± 2.7)	14.0 (± 0.9)

**Peer and Individual Domain***How much do you think people risk harming themselves if they:*

	Local ( <i>n</i> = 467)	State ( <i>n</i> = 10,575)
204. Smoke one or more packs of cigarettes per day?		
a. No risk	5.8% (± 2.1%)	8.7% (± 1.2%)
b. Slight risk	3.2 (± 1.6)	4.5 (± 0.4)
c. Moderate risk	14.8 (± 3.2)	13.4 (± 0.7)
d. Great risk	65.1 (± 4.3)	61.3 (± 2.4)
e. Not sure	11.1 (± 2.9)	12.2 (± 1.3)

	Local ( <i>n</i> = 463)	State ( <i>n</i> = 10,520)
205. Try marijuana once or twice?		
a. No risk	9.7% (± 2.7%)	13.5% (± 1.6%)
b. Slight risk	17.1 (± 3.4)	16.2 (± 0.9)
c. Moderate risk	24.6 (± 3.9)	22.2 (± 1.3)
d. Great risk	36.1 (± 4.4)	34.7 (± 1.6)
e. Not sure	12.5 (± 3.0)	13.4 (± 1.0)

	Local ( <i>n</i> = 460)	State ( <i>n</i> = 10,479)
206. Smoke marijuana regularly (at least once or twice a week)?		
a. No risk	7.0% (± 2.3%)	12.2% (± 1.6%)
b. Slight risk	7.6 (± 2.4)	8.2 (± 0.6)
c. Moderate risk	19.4 (± 3.6)	17.4 (± 0.7)
d. Great risk	53.7 (± 4.5)	49.5 (± 2.8)
e. Not sure	12.4 (± 3.0)	12.8 (± 1.0)

	Local ( <i>n</i> = 461)	State ( <i>n</i> = 10,494)
207. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?		
a. No risk	11.3% (± 2.9%)	15.3% (± 1.4%)
b. Slight risk	18.9 (± 3.6)	18.3 (± 0.8)
c. Moderate risk	27.8 (± 4.1)	23.9 (± 1.2)
d. Great risk	32.5 (± 4.3)	30.8 (± 1.5)
e. Not sure	9.5 (± 2.7)	11.7 (± 0.8)

[Item 208 appears only on the secondary version of the survey.]

	Local ( <i>n</i> = 487)	State ( <i>n</i> = 10,982)
209. Have you ever, even once in your lifetime smoked marijuana?		
a. Yes	1.2% (± 1.0%)	3.9% (± 0.6%)
b. No	98.8 (± 1.0)	96.1 (± 0.6)

[Items 210–211 appear only on the secondary version of the survey.]

	Local ( <i>n</i> = 490)	State ( <i>n</i> = 10,970)
212. Have you ever, even once in your lifetime had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?		
a. Yes	26.5% (± 3.9%)	26.3% (± 1.2%)
b. No	73.5 (± 3.9)	73.7 (± 1.2)

[Items 213–217 appear only on the secondary version of the survey.]



**How wrong do you think it is for someone your age to:**

218. Drink beer, wine, or hard liquor (for example, vodka, whiskey, or gin) regularly?	Local (n = 463)	State (n = 10,494)
a. Very wrong	87.5% (± 3.0%)	83.4% (± 1.2%)
b. Wrong	10.4 (± 2.8)	11.3 (± 0.8)
c. A little bit wrong	1.3 (± 1.0)	4.0 (± 0.5)
d. Not wrong at all	0.9 (± 0.8)	1.3 (± 0.2)
219. Smoke cigarettes?	Local (n = 461)	State (n = 10,463)
a. Very wrong	89.2% (± 2.8%)	87.1% (± 1.2%)
b. Wrong	8.9 (± 2.6)	9.6 (± 0.9)
c. A little bit wrong	1.5 (± 1.1)	2.3 (± 0.4)
d. Not wrong at all	0.4 (± 0.6)	1.0 (± 0.2)
220. Smoke marijuana?	Local (n = 461)	State (n = 10,429)
a. Very wrong	93.5% (± 2.3%)	91.5% (± 1.1%)
b. Wrong	4.6 (± 1.9)	5.7 (± 0.7)
c. A little bit wrong	1.3 (± 1.0)	1.8 (± 0.4)
d. Not wrong at all	0.7 (± 0.7)	1.1 (± 0.3)
221. Use LSD, cocaine, amphetamines, or another illegal drug?	Local (n = 461)	State (n = 10,424)
a. Very wrong	95.2% (± 1.9%)	93.7% (± 0.7%)
b. Wrong	3.5 (± 1.7)	3.9 (± 0.5)
c. A little bit wrong	0.7 (± 0.7)	1.0 (± 0.2)
d. Not wrong at all	0.7 (± 0.7)	1.4 (± 0.2)

[Items 222–249 appear only on the secondary version of the survey.]

**How many times in the past year (12 months) have you . . .**

250. Participated in clubs, organizations or activities at school?	Local (n = 499)	State (n = 11,209)
a. Never	27.9% (± 3.9%)	26.9% (± 1.9%)
b. 1 or 2 times	30.3 (± 4.0)	30.5 (± 0.9)
c. 3 to 5 times	18.6 (± 3.4)	17.5 (± 0.9)
d. 6 to 9 times	6.2 (± 2.1)	8.6 (± 0.5)
e. 10 to 19 times	6.8 (± 2.2)	5.9 (± 0.5)
f. 20 to 29 times	2.2 (± 1.3)	2.8 (± 0.3)
g. 30 to 39 times	1.0 (± 0.9)	1.7 (± 0.2)
h. 40+ times	7.0 (± 2.2)	6.2 (± 0.6)
251. Done extra work on your own for school?	Local (n = 498)	State (n = 11,162)
a. Never	29.7% (± 4.0%)	25.2% (± 1.4%)
b. 1 or 2 times	28.7 (± 4.0)	31.8 (± 0.9)
c. 3 to 5 times	15.3 (± 3.2)	16.9 (± 0.8)
d. 6 to 9 times	11.0 (± 2.7)	10.4 (± 0.6)
e. 10 to 19 times	7.2 (± 2.3)	6.7 (± 0.6)
f. 20 to 29 times	3.4 (± 1.6)	3.1 (± 0.3)
g. 30 to 39 times	1.2 (± 1.0)	1.7 (± 0.3)
h. 40+ times	3.4 (± 1.6)	4.2 (± 0.5)

	Local ( <i>n</i> = 488)		State ( <i>n</i> = 11,077)	
252. Volunteered to do community service?				
a. Never	53.3%	(± 4.4%)	54.5%	(± 2.4%)
b. 1 or 2 times	21.7	(± 3.7)	22.9	(± 1.1)
c. 3 to 5 times	10.7	(± 2.7)	9.6	(± 0.8)
d. 6 to 9 times	4.9	(± 1.9)	5.1	(± 0.5)
e. 10 to 19 times	3.5	(± 1.6)	3.1	(± 0.4)
f. 20 to 29 times	1.2	(± 1.0)	1.5	(± 0.3)
g. 30 to 39 times	0.6	(± 0.7)	0.8	(± 0.2)
h. 40+ times	4.1	(± 1.8)	2.5	(± 0.4)

[Items 253–256 appear only on the secondary version of the survey.]

## Item Index

- Alcohol  
 Attitudes 156, 158, 218  
 Prevention 52  
 Source, 150  
 Use 16, 28, 55, 58, 212
- Asthma 79–80
- Bullying 122
- Clubs 250
- Cocaine (*see* Drugs)
- Demographics 2–4, 6
- Dental Health 85
- Depression 116
- Drugs  
 Cocaine 153, 221  
 Marijuana 17, 29, 152, 155, 160, 209, 220  
 Other drugs 18, 23, 153, 221
- Family 176–182
- Fighting 103
- Fitness  
 Exercise 71–73
- Goals 146
- Guns (*see* Weapons)
- Honesty 14
- Marijuana (*see* Drugs)
- Neighborhood 165–167
- Nutrition 65, 67–68
- Risk of harm 37, 204–207
- Safety 94, 96, 98
- School  
 Absence 194  
 Achievement 186–187, 193  
 Climate 200–201, 203
- School (*continued*)  
 Enjoyment 191–192  
 Safety 202  
 Schoolwork 188–190, 251  
 Weapons at 101
- Suicide 114, 115
- Teams (*see* Clubs)
- Tobacco  
 Attitudes 219  
 Chewing 25  
 Cigarettes 24, 34–37, 157  
 Prevention 38, 46  
 Secondhand smoke 41, 43, 45  
 Source 151
- Volunteer 252
- Weapons 101, 159